



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.



- SURVEY NOTES**
1. THE INFORMATION SHOWN ON THIS PLAN IS BASED UPON A PRELIMINARY ALTA SURVEY PROVIDED BY CHERRY LAND SURVEYING, INC. DATED 4/30/2014.
  2. THE INFORMATION PROVIDED SHALL BE FIELD VERIFIED PRIOR TO CONSTRUCTION. KIMLEY-HORN AND ASSOCIATES SHALL NOT BE HELD RESPONSIBLE FOR ANY ERRORS IN SURVEY INFORMATION, DESIGN FLAWS, MUNICIPALITY VIOLATIONS NOR CONSTRUCTION PRACTICE INFRINGEMENTS.
  3. NO PORTION OF THIS PROJECT IS LOCATED IN A FLOOD HAZARD AREA AND IS DETERMINED TO BE IN "ZONE X" ACCORDING TO FEDERAL EMERGENCY MANAGEMENT AGENCY FIRM MAP NO. 470370287J DATED 2/25/2022.
  4. THE HORIZONTAL CONTROL PLANE IS BASED UPON SPC (4100 TN). THE VERTICAL CONTROL PLANE IS BASED UPON NGVD-29.

**Kimley»Horn**  
 10 Lea Avenue, Suite 400 Nashville, TN 37210  
 Main: 615.564.2701 | www.kimley-horn.com  
 © 2024 Kimley-Horn and Associates, Inc.


**4214 CENTRAL PIKE**  
**FLOURNOY DEVELOPMENT GROUP**  
 HERMITAGE, TN

**DRAFT**  
**PRELIMINARY**  
**PLANS**  
**FOR REVIEW ONLY**

NO.	DATE	BY	REVISIONS
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

DESIGNED BY: \_\_\_\_\_  
 CHECKED BY: \_\_\_\_\_  
 DATE: 03/27/2024  
 KIMLEY-HORN PROJECT NO. 019598012



EXISTING CONDITIONS  
 SHEET NUMBER  
**C1-00**



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of any instrument of service, in whole or in part, for any other project without the written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.

OWNER INFORMATION	
OWNER	NHCOP, LP
TAX PARCEL NO.	0870008900
PARCEL #	89
ADDRESS	4214 CENTRAL PIKE

PRELIMINARY DEVELOPMENT SCHEDULE	
GRADING PERMIT / SITE WORK	MONTH 0
BUILDING PERMIT / BUILDING CONSTRUCTION START	MONTH 2
CONSTRUCTION COMPLETION / CO / PROJECT OPENING	MONTH 24



- ### SP DEVELOPMENT STANDARDS
1. THE PURPOSE OF THIS SP IS TO RECEIVE PRELIMINARY APPROVAL TO PERMIT A MULTI-FAMILY DEVELOPMENT TO INCLUDE UP TO 320 MULTI-FAMILY RESIDENTIAL UNITS.
  2. ANY EXCAVATION, FILL OR DISTURBANCE OF THE EXISTING GROUND ELEVATION MUST BE DONE IN ACCORDANCE WITH STORMWATER MANAGEMENT ORDINANCE NO. 78-840 AND APPROVED BY THE METROPOLITAN DEPARTMENT OF WATER SERVICES.
  3. THIS PROPERTY DOES NOT LIE WITHIN A FLOOD HAZARD AS IDENTIFIED BY FEMA ON MAP #1703700871, DATED 02/26/2022.
  4. ALL PUBLIC SIDEWALKS ARE TO BE CONSTRUCTED IN CONFORMANCE WITH NDOT SIDEWALK DESIGN STANDARDS.
  5. WHEELCHAIR ACCESSIBLE CURB RAMP, COMPLYING WITH APPLICABLE NDOT STANDARDS, SHALL BE CONSTRUCTED AT STREET CROSSINGS.
  6. THE REQUIRED FIRE FLOW SHALL BE DETERMINED BY THE METRO FIRE MARSHAL'S OFFICE, PRIOR TO THE ISSUANCE OF A BUILDING PERMIT.
  7. SIZE DRIVEWAY CULVERTS PER THE DESIGN CRITERIA SET FORTH BY THE METRO STORMWATER MANAGEMENT MANUAL, MINIMUM DRIVEWAY CULVERT IN METRO RIGHT OF WAY IS 15' RCP.
  8. METRO WATER SERVICES SHALL BE PROVIDED SUFFICIENT AND UNENCUMBERED INGRESS AND EGRESS AT ALL TIMES IN ORDER TO MAINTAIN, REPAIR, REPLACE, AND INSPECT ANY STORMWATER FACILITIES WITHIN THE PROPERTY.
  9. MINOR MODIFICATIONS TO THE PRELIMINARY SP MAY BE APPROVED BY THE PLANNING COMMISSION OR ITS DESIGNEE BASED UPON FINAL ARCHITECTURAL, ENGINEERING OR SITE DESIGN AND ACTUAL SITE CONDITIONS. ALL MODIFICATIONS SHALL BE CONSISTENT WITH THE PRINCIPLES AND FURTHER THE OBJECTIVES OF THE APPROVED MODIFICATIONS SHALL NOT BE PERMITTED, EXCEPT THROUGH AN ORDINANCE APPROVED BY METRO COUNCIL, THAT INCREASES THE PERMITTED DENSITY OR FLOOR AREA, ADDS USES NOT OTHERWISE PERMITTED, ELIMINATES THROUGH THIS ENACTING ORDINANCE, OR ADDS VEHICULAR ACCESS POINTS NOT CURRENTLY PRESENT OR APPROVED. THE REQUIREMENTS OF THE METRO FIRE MARSHAL'S OFFICE FOR EMERGENCY VEHICLE ACCESS AND ADEQUATE WATER SUPPLY FOR FIRE PROTECTION MUST BE MET PRIOR TO ISSUANCE OF ANY BUILDING PERMITS.
  10. IF A DEVELOPMENT STANDARD, NOT INCLUDING PERMITTED USES, IS ABSENT FROM THE SP PLAN AND/OR COUNCIL APPROVAL, THE PROPERTY SHALL BE SUBJECT TO THE STANDARDS, REGULATIONS AND REQUIREMENTS OF THE MUN-ANS ZONING DISTRICT AS OF THE DATE OF THE APPLICABLE REQUEST OR APPLICATION.
  11. APPROVAL OF ANY SPECIFIC PLAN DOES NOT EXEMPT ANY PARCEL SHOWN ON THE PLAN OR ANY DEVELOPMENT WITHIN THE SP FROM COMPLIANCE WITH ALL PROVISIONS OF THE METRO ZONING CODE WITH RESPECT TO FLOODPLAIN, STEEP SLOPES, UNSTABLE SOILS, SINKHOLES, ROCK OUTCROPPINGS, STREAMS, SPRINGS, AND CRITICAL LOTS.
  12. ALL SURFACE PARKING AREAS MUST MEET THE "PARKING AREA SCREENING AND LANDSCAPING" REQUIREMENTS SPECIFIED IN THE METRO ZONING CODE.
  13. LANDSCAPING AND TREE DENSITY REQUIREMENTS PER METRO ZONING CODE, A COMPLETE LANDSCAPE PLAN WILL BE REQUIRED WITH THE FINAL SP SUBMITTAL.
  14. ACCORDING TO THE NCRS SOIL MAP, THE SOILS ON THE PROPERTY ARE LOMOND SILT LOAM, TALBOTT SILT LOAM, AND TALBOTT-ROCK OUTCROP COMPLEX.
  15. SLOPES GREATER THAN 25% ARE NOT PRESENT ON SITE.
  16. THERE ARE NO KNOWN EXISTING WETLANDS WITHIN THE SP BOUNDARY.
  17. SIGNAGE SHALL MEET METRO DESIGN STANDARDS AND BE REVIEWED WITH THE BUILDING PLANS.
  18. ALL DEVELOPMENTS WITHIN THE BOUNDARIES OF THIS PLAN SHALL BE BASED ON THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT AND THE FAIR HOUSING ACT, AS APPLICABLE.
  19. ALL PROPOSED PUBLIC UTILITIES AND SERVICES SHALL BE INSTALLED UNDERGROUND.
  20. THE FINAL SITE PLAN/BUILDING PERMIT SITE PLAN SHALL DEPICT ANY REQUIRED PUBLIC SIDEWALKS, ANY REQUIRED GRASS STRIP OR FRONTAGE ZONE AND THE LOCATION OF ALL EXISTING AND PROPOSED VERTICAL OBSTRUCTIONS WITHIN ANY REQUIRED SIDEWALK AND GRASS STRIP OR FRONTAGE ZONE. PRIOR TO THE ISSUANCE OF USE AND OCCUPANCY PERMITS, EXISTING VERTICAL OBSTRUCTIONS SHALL BE RELOCATED OUTSIDE OF ANY REQUIRED SIDEWALK. VERTICAL OBSTRUCTIONS ARE ONLY PERMITTED WITHIN ANY REQUIRED GRASS STRIP OR FRONTAGE ZONE.
  21. HEIGHT SHALL BE MEASURED FROM THE AVERAGE ELEVATION (A MOST EXTERIOR CORNERS) AT THE FINISHED GRADE TO THE MIDPOINT OF THE PRIMARY ROOF PITCH OR TO THE TOP OF THE PARAPET FOR A FLAT ROOF.
  22. BUILDING A FACADES FRONTING A STREET SHALL PROVIDE A MINIMUM OF ONE PRINCIPAL ENTRANCE (DOORWAY) AND A MINIMUM OF 15% GLAZING.
  23. WINDOWS SHALL BE VERTICALLY ORIENTED AT A RATIO OF 1.5:1 OR GREATER, EXCEPT FOR DORMERS.
  24. BUILDING FACADES SHALL BE CONSTRUCTED OF BRICK, BRICK VENEER, STONE, CAST STONE, CEMENTITIOUS SIDING, GLASS, OR MATERIALS SUBSTANTIALLY SIMILAR IN FORM AND FUNCTION, UNLESS OTHERWISE APPROVED ON DETAILED BUILDING ELEVATIONS INCLUDED WITH THE PRELIMINARY SP.
  25. PORCHES SHALL PROVIDE A MINIMUM OF SIX FEET OF DEPTH.
  26. A RAISED FOUNDATION OF 18" - 36" IS REQUIRED FOR ALL RESIDENTIAL STRUCTURES.

- ### SITE LAYOUT NOTES
1. INSTALL CONCRETE JOINTS WHERE SHOWN ON PLANS AND DETAILS. ALIGN ON WALLS, BUILDINGS, RADII, ETC. EVENLY SPACE BETWEEN ELEMENTS AS SHOWN. PROVIDE EXPANSION JOINTS BETWEEN CONCRETE PAVEMENT AND ALL VERTICAL ELEMENTS (WALLS, CURBS, ETC.).
  2. LAYOUT ALL CURVES SMOOTHLY WITH NO ABRUPT CHANGES AT TANGENT POINTS.
  3. ALL DIMENSIONS ARE TO THE FACE OF CURB UNLESS OTHERWISE NOTED.
  4. LAYOUT ALL ELEMENTS IN FIELD AND CONTACT OWNER'S REPRESENTATIVE FOR APPROVAL BEFORE BEGINNING ANY CONSTRUCTION.
  5. CONTRACTOR TO TAKE ALL PRECAUTIONS TO FIND AND AVOID SITE UTILITIES. ALL UTILITIES ARE NOT SHOWN ON DRAWING. VERIFY LOCATIONS AND CONSIDER SUCH WHEN ESTIMATING.
  6. ALL LANDSCAPE ISLANDS SHALL BE MOUNDING WITH TOPSOIL 4" ABOVE THE CURB LINE TO PROMOTE POSITIVE DRAINAGE.
  7. ALL PAVEMENT MARKINGS SHALL BE THERMOPLASTIC UNLESS OTHERWISE NOTED.
  8. ALL PAVEMENT MARKINGS AND SIGNAGE SHALL BE INSTALLED PER THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES, LATEST EDITION.
  9. ALL SIDEWALK WITHIN THE RIGHT-OF-WAY SHALL BE CONSTRUCTED PER NDOT STANDARD DETAIL, ST-210.
  10. SAW CUT LINES SHALL BE DONE IN A STRAIGHT NEAT LINE A MINIMUM OF 18" FROM THE EXISTING EDGE OF PAVEMENT.
  11. REFER TO ARCHITECTURAL PLAN FOR STRIPING WITHIN THE BUILDING.

- ### NDOT NOTES
1. THE DEVELOPER'S FINAL CONSTRUCTION DRAWINGS SHALL COMPLY WITH THE DESIGN REGULATIONS ESTABLISHED BY THE DEPARTMENT OF NDOT, IN EFFECT AT THE TIME OF APPROVAL OF THE PRELIMINARY DEVELOPMENT PLAN OR FINAL DEVELOPMENT PLAN OR BUILDING PERMIT, AS APPLICABLE. FINAL DESIGN MAY VARY BASED ON FIELD CONDITIONS.
  2. ALL ROW DEDICATIONS ARE TO BE RECORDED PRIOR TO ISSUANCE OF THE BUILDING PERMITS.

### HATCH LEGEND

	CONCRETE SIDEWALK
	CONCRETE PAVEMENT
	STORMWATER MANAGEMENT AREA
	ROW DEDICATION

### SITE DATA TABLE

SITE ADDRESS	4214 CENTRAL PIKE HERMITAGE, TN 37076		
TAX MAP	MAP 087 PARCEL 089		
	OVERALL AREA	EXISTING	PROPOSED
SITE AREA	±15.4 AC	±15.16 AC	
DISTURBED AREA	N/A	±17.33 AC	
DEDICATED R.O.W. AREA	N/A	±0.24 AC	
IMPERVIOUS AREA	±0 AC	±9.32 AC	
PERVIOUS AREA	±15.4 AC	±5.84 AC	

### BUILDING DATA

USE	MULTIFAMILY RESIDENTIAL
APPROX. TOTAL BUILDING AREA	411,871 SF
RESIDENTIAL BUILDING AREA	390,167 SF
GARAGE BUILDING AREA	11,052 SF
CLUBHOUSE/LEASING OFFICE AREA	10,652 SF
MAX. BUILDING HEIGHT	4 STORIES (60 FT)
ISR (MAX. = 0.80)	0.61
F.A.R. (MAX. = 0.70)	0.59
UNIT DENSITY	20.8 UNITS / ACRE
TOTAL UNITS	320 UNITS
STUDIO UNITS	16 UNITS
1-BEDROOM UNITS	173 UNITS
2-BEDROOM UNITS	106 UNITS
3-BEDROOM UNITS	25 UNITS

# Kimley»Horn

10 Lea Avenue, Suite 400 Nashville, TN 37210  
Main: 615.564.2701 | www.kimley-horn.com  
© 2024 Kimley-Horn and Associates, Inc.

## 4214 CENTRAL PIKE

### FLOURNOY DEVELOPMENT GROUP

HERMITAGE, TN

## DRAFT

### PRELIMINARY PLANS

FOR REVIEW ONLY


NO.	DATE	BY	REVISIONS
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

DESIGNED BY: \_\_\_\_\_  
DRAWN BY: \_\_\_\_\_  
CHECKED BY: \_\_\_\_\_  
DATE: 03/27/2024  
KIMLEY-HORN PROJECT NO. 019598012

SITE LAYOUT - OVERALL

SHEET NUMBER

## C2-00



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.



**GRADING NOTES**

- CONTRACTOR RESPONSIBLE FOR VERIFYING LOCATION, SIZE, AND ELEVATIONS OF EXISTING UTILITIES AT CONNECTION POINTS PRIOR TO GRADING OR INSTALLATION OF ANY PROPOSED UTILITIES. CONTRACTOR TO IMMEDIATELY NOTIFY OWNER'S REPRESENTATIVE IF DISCREPANCIES ARE FOUND.
- AREAS FOR CONSTRUCTION THAT REQUIRE DE-WATERING FOR EXCAVATION WILL BE DONE AT NO ADDITIONAL COST TO THE OWNER AND IN ACCORDANCE WITH SECTION 4.1.4 OF THE TENNESSEE GENERAL NPDES PERMIT FOR DISCHARGES OF STORMWATER ASSOCIATED WITH CONSTRUCTION ACTIVITIES.
- ADDITIONAL EROSION CONTROL DEVICES TO BE USED AS REQUIRED BY LOCAL INSPECTOR.
- DISTURBED AREAS LEFT IDLE FOR FIVE DAYS, AND NOT TO FINAL GRADE, WILL BE ESTABLISHED TO TEMPORARY VEGETATION, MULCH, TEMPORARY VEGETATION OR PERMANENT VEGETATION SHALL BE COMPLETED ON ALL EXPOSED AREAS WITHIN 14 DAYS AFTER DISTURBANCE, ALL AREAS TO FINAL GRADE WILL BE ESTABLISHED TO PERMANENT VEGETATION UPON COMPLETION.
- WHEN HAND PLANTING, MULCH (HAY OR STRAW) SHOULD BE UNIFORMLY SPREAD OVER SEEDING AREA WITHIN 24 HOURS OF SEEDING, IF UNABLE TO ACCOMPLISH, MULCH SHALL BE USED AS A TEMPORARY COVER. CONCENTRATED FLOW AREAS AND ALL SLOPES STEEPER THAN 2:1 AND WITH A HEIGHT OF TEN FEET OR GREATER (DOES NOT APPLY TO RETAINING WALLS), AND CUTS AND FILLS WITHIN BUFFERS, SHALL BE STABILIZED WITH THE APPROPRIATE EROSION CONTROL MATTING OR BLANKETS.
- THE GRADING PERMIT MUST BE DISPLAYED ON SITE AT ALL TIMES DURING CONSTRUCTION AND IN PLAN VIEW FROM A PUBLIC ROAD OR STREET.
- EROSION AND SEDIMENT CONTROL DEVICES MUST BE DISPLAYED AND INSPECTED PRIOR TO ANY GRADING ON SITE. THE CONTRACTOR MUST CALL FOR AN INSPECTION TO OBTAIN A PERMIT TO GRADE. PLEASE CALL WITH ENOUGH LEAD-TIME FOR AN INSPECTION TO MEET YOUR SCHEDULE.
- SEDIMENT/EROSION CONTROL DEVICES MUST BE INSPECTED ACCORDING TO LOCAL AND STATE REQUIREMENTS AND AS STIPULATED IN THE STORMWATER POLLUTION PREVENTION PLAN. EACH DEVICE IS TO BE MAINTAINED OR REPLACED IF SEDIMENT ACCUMULATION HAS REACHED ONE HALF THE CAPACITY OF THE DEVICE. ADDITIONAL DEVICES MAY BE NECESSARY AS THE PROJECT PROGRESSES AND NEW CHANNELS HAVE DEVELOPED.
- THE ESCAPE OF SEDIMENT FROM THE SITE SHALL BE PREVENTED BY THE INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES AND PRACTICES PRIOR TO, OR CONCURRENT WITH, LAND-DISTURBING ACTIVITIES.
- EROSION CONTROL SHALL BE MAINTAINED AT ALL TIMES. IF FULL IMPLEMENTATION OF THE PLAN DOES NOT PROVIDE FOR EFFECTIVE EROSION CONTROL, ADDITIONAL EROSION CONTROL AND SEDIMENT CONTROL MEASURES SHALL BE IMPLEMENTED TO CONTROL OR TRAP THE SEDIMENT SOURCE.
- CONTRACTOR SHALL REVIEW SITE GEOTECHNICAL REPORT BEFORE COMMENCING GRADING OPERATIONS.
- SEED ALL DISTURBED AREAS UNLESS OTHERWISE NOTED AS PART OF THIS CONTRACT. REFER TO LANDSCAPING PLANS FOR AREAS TO RECEIVE SO2.
- INSTALL SOD OR RIPRAP IN SWALES AS INDICATED ON GRADING PLANS AND EROSION CONTROL PLANS.
- TOPSOIL ON SITE TO BE STRIPPED AND STOCKPILED FOR REUSE IN LAWN AREAS.
- ADEQUATE DRAINAGE, EROSION AND SEDIMENT CONTROL MEASURES, BEST MANAGEMENT PRACTICES, AND/OR OTHER WATER QUALITY MANAGEMENT FACILITIES SHALL BE PROVIDED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION. DAMAGES TO ADJACENT PROPERTY AND/OR THE CONSTRUCTION SITE CAUSED BY THE CONTRACTOR'S OR PROPERTY OWNER'S FAILURE TO PROVIDE AND MAINTAIN ADEQUATE DRAINAGE AND EROSION/SEDIMENT CONTROL FOR THE CONSTRUCTION AREA SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNER AND/OR CONTRACTOR.
- UNDERGROUND UTILITIES HAVE NOT BEEN VERIFIED BY THE OWNER, DESIGNER, OR THEIR REPRESENTATIVES. BEFORE YOU DIG CALL ONE CALL-811 OR 1-800-752-6007
- THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK AND AGREES TO BE RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT RESULT FROM THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY UNDERGROUND UTILITIES TO REMAIN.

**METRO STORMWATER NOTES**

**FEMA NOTE:**  
THIS LOT DOES NOT LIE IN AN AREA DESIGNATED AS A SPECIAL FLOOD HAZARD AREA ACCORDING TO FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP 4703700287J, EFFECTIVE 2/25/2022.

- CONSTRUCTION SCHEDULE:**
- PRE-CONSTRUCTION MEETING
  - INSTALLATION OF EROSION CONTROL MEASURES
  - EROSION INSPECTION BY EPSC AND METRO
  - ISSUANCE OF GRADING PERMIT
  - CONSTRUCTION

CONSTRUCTION SHALL BE COMPLETED WITHIN 12 MONTHS OF THE GRADING PERMIT BEING ISSUED. IF CONSTRUCTION IS NOT COMPLETE IN THAT AMOUNT OF TIME, IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO APPLY FOR AN EXTENSION OF THE GRADING PERMIT.

**TDEC NOTICE OF COVERAGE NOTE:**  
THIS PROJECT DOES DISTURB MORE THAN 1 ACRE AND IS REQUIRED TO APPLY FOR A NOTICE OF COVERAGE UNDER THE TENNESSEE GENERAL CONSTRUCTION PERMIT FROM TDEC.  
THE TOTAL DISTURBED AREA IS ± 17.33 ACRES.

**GRADING PLAN LEGEND**


- 476.17 SPOT ELEVATION
- HP HIGH POINT
- TC TOP OF CURB
- TW TOP OF WALL
- INV INVERT
- LP LOW POINT
- BC BOTTOM OF CURB / CUTTER LINE
- BW BOTTOM OF EXPOSED WALL
- RM TOP OF GRATE / COVER
- FFE FINISH FLOOR ELEVATION
- 500 EXISTING CONTOUR
- 500 PROPOSED CONTOUR






**4214 CENTRAL PIKE**  
**FLOURNOY DEVELOPMENT GROUP**  
 HERMITAGE, TN

**DRAFT**  
**PRELIMINARY**  
**PLANS**  
**FOR REVIEW ONLY**

DESIGNED BY:	
CHECKED BY:	
DATE:	03/27/2024
KIMLEY-HORN PROJECT NO.	019598012
GRADING AND DRAINAGE PLAN - OVERALL	
SHEET NUMBER	<b>C4-00</b>



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.



**DRAFT  
PRELIMINARY  
PLANS  
FOR REVIEW ONLY**

No.	REVISIONS	DATE	BY
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

DESIGNED BY: \_\_\_\_\_  
DRAWN BY: \_\_\_\_\_  
CHECKED BY: \_\_\_\_\_  
DATE: 03/27/2024  
KIMLEY-HORN PROJECT NO. 019598012

ROADWAY PLAN AND PROFILE

SHEET NUMBER  
**C5-00**





**SITE**

**SITE INFORMATION**

TOTAL SITE AREA (APPROX.) : 15.42 AC

**LEGEND**

**MULTIFAMILY**

- M1** 3 STORY (TYPE VA) - 1 BUILDING  
TOTAL : 36 UNITS
- M2** 3/4 STORY (TYPE VA) - 1 BUILDING  
TOTAL : 116 UNITS
- M3** 3/4 STORY (TYPE VA) - 4 BUILDINGS  
TOTAL : 168 UNITS (42 UNITS/BLDG)

TOTAL UNITS : 320  
 AVG HEATED AREA - MF : 900 SF (APPROX.)  
 TOTAL PARKING : 491 SPACES (INCLUDING GARAGES)  
 PARKING RATIO PROVIDED : 1.53 SPACES/DU

**AMENITIES**

- C1** MULTIFAMILY CLUB / LEASING  
TOTAL : 10,000 SF
- C2** MAINTENANCE / DOG WASH  
TOTAL : 950 SF

**GARAGES**

- G** 6 BAY GARAGES  
NO. OF GARAGES : 5  
TOTAL GARAGE PARKING : 30 SPACES