

AMENDMENT NO. ____
TO
SUBSTITUTE ORDINANCE NO. BL2026-1391

Madam President –

I hereby move to amend Substitute Ordinance No. BL2026-1391 as follows:

I. By amending Section 3, by amending proposed Subsection C.4.f as follows:

- f. Maximum permissible sound levels shall not exceed sixty-five (65) decibels (dB) during the daytime (7:01 a.m. to (9:59 p.m.) and fifty-five (55) decibels (dB) during the nighttime (10:00 p.m. to 7:00 a.m.) as measured from any property line. The data center will maintain a twenty-four hour industrial noise monitoring system, capable of monitoring dB, dbA, and dbC frequencies, at the property line.

II. By amending Section 3, by amending proposed Subsection D.4.h as follows:

- h. Maximum permissible sound levels shall not exceed sixty-five (65) decibels (dB) during the daytime (7:01 a.m. to (9:59 p.m.) and fifty-five (55) decibels (dB) during the nighttime (10:00 p.m. to 7:00 a.m.) as measured from any property line. The data center will maintain a twenty-four hour industrial noise monitoring system, capable of monitoring dB, dbA, and dbC frequencies, at the property line.

III. By amending Section 4, by amending proposed Subsection A.4.h as follows:

- h. Maximum permissible sound levels shall not exceed sixty-five (65) decibels (dB) during the daytime (7:01 a.m. to (9:59 p.m.) and fifty-five (55) decibels (dB) during the nighttime (10:00 p.m. to 7:00 a.m.) as measured from any property line. The data center will maintain a twenty-four hour industrial noise monitoring system, capable of monitoring dB, dbA, and dbC frequencies, at the property line.

SPONSORED BY:

Clay Capp
Jacob Kupin
Joy Styles
Members of Council