Proposal No. 2022M-003EN-001

1	C	ORD	С	E	RT	IFICATE OF L	IABII	LITY IN		LPHCAP-00 CE	3		TERIEDMA rejumpoyyyyj 9/30/2021
6	ER LEL	CERTIFICATE IS ISSUE TIFICATE DOES NOT AF DW. THIS CERTIFICATE RESENTATIVE OR PRODU	FIRMATI OF INS	VB UR	LY O ANCI	R NEGATIVELY AMEN E DOES NOT CONSTIT	D. EXT	EMO OR AL	TER THE C	OVERAGE 4	FEORDE	ATE H	OLDER, THIS
1	MP(DRTANT: If the certificat UBROGATION IS WAIVED certificate does not confer	e holder	is i	an At	DONTIONAL INSURED, the	of the re	dicy certain	nelicies ma	NAL INSURE y require an e	D provist	ons or ont. A	be endomod. statument on
	OUC							Tracey					
Sta 950	ting	g Seacrest Pritchard, Inc. st Paces Ferry Road, NE					MC No. Rets. (404) 949-1093 (AC, Not. (404) 261-5440						
Sul	10 2	000 , GA 30326-1384					Miless technidt@pjins.com						
P) (2)	MY 1.0	1 PM 200359-1399						111	SURENISO APPO	HONG COVERA	ne.		NAC
							Maur	re a : Carpito	Specialty	Indurance C	orporati	on	10000
14631	HOE D	1601 Horman Saraet	110				INSUREM D :						
		cio Alpha Capital Pa					MSWRENC:						
		44 Abole Rd, Bto 304											
		Bridgeville, PA 15017	г				action.	en e					
	_						NSUN	ene:					
		RAGES				ENUMBER:				REVISION N			
Ĝ	ERT	IS TO CERTIFY THAT THE ATED NOTWITHSTANDING FICATE MAY BE ISSUED O USIONS AND CONDITIONS OF TYPE OF MISURANCE	ANY RE	PER	TAIN	ENT, TEHM OR CONDITION THE INSURANCE AFFORD LIMITS SHOWN MAY FAV	ON OF A	VITY CONTRA Y THE POLIC REDUCED BY	CT ON OTHER TES DESCRIE PAID CLAMS	R DOCLAMENT	With Mea S Subject	PECT TO AU	O MAHICH THIS
A.	х	COMMERCIAL GENERAL LIABLE		NEC	nea	POLICY HUMBER		Walles Land	"ENEXYER?"			275	1,000,00
		CLA MS-VACE X OCCL				C ********** ***				CAMAGE TO BE PREMISES HA	SHEE	1.	100,00
		COLMS-ANCE M. OCCO	21	X		CT20200310-01		W3W2020	10/20/2022	PHEMISERIE	SCORREGUE.	3.	5.00
	х	Deductible: \$5,000 per out								MEDICAL NO CASSOCIA		12	1,000,00
	-		The state of the s						belizcino a vorientali t		1-	The state of the s	
	CHALLAGON BATE LIMIT APPLIES PER									GENERAL ASSO	HEGATE	4	2,000,00
- 1		POLICY X 288	2							PRODUCTS D	OWNERS WOR	1	2,000,00
-		OTHER	-	-	-					COMMENTS IN	200 C 100 C	1	
- 1	en.	TOWORKE LYMILLTY								COMBINED 5/10 (Na accided)	CIDE CIVIT		
		ANY ALTO EMPERON ATTORNO MINERON MINERON								BODILY ALLAY BODILY ALLAY		1 2	
. 1		10000								D. H. M. S. Owner		1.	
A.		UMBRIBLIA LIAB X 0000	-							EADH DCCLIKB	Bone :	1	9,000,00
	Х	ERSENBLAND CLASH	S MALIE			CX20200310-01		9128/2020	10/28/2022	MOCHEGAIL	Ere.E.	\$	9,000,00
	WOR OWN	MERS COMPANSATION EMPLOYERS LABBLITY								STATUTE	97.0		
1	ANT	MAT GROWING COMPANY WERE RECORDED TO A								EL EXCHADO		4	
- 1	Being	or PROPERTOR PARTNER EXPOUNCE FF FIELD AND STATE OF THE PROPERTY OF THE PROPER								EL DISEASE		4.0	
_	25	describe leder SELF 200 OF DE-LIBRIDGE GRAD								AL DESCRIPTION		1	
	_												
ENC	HPT	ON OF OPERATIONS / LOCATIONS	ysmer.	16	COAD	(D), Additional Bornarys School	and the first	allached if mon	e agraca la reigido	10)			
		ropolitan Government of Ma									Late Hilling		
						,			,				
he	TIF	CAYE HOLDER					CANC	ELLATION					
The	TIF	The Metropolitan Gove County	ernamorti.	od I	Nash	ville and Davidson	SHID	ULD ANY OF T	DATE. TH	IBGRIBIRO POI ERECE, NOT Y PROVISIONS	CE WILL		
he	TIFI	The Metropolitan Gove County Metro Lagai & Claime			Nash	ville and Davidson	THE	ULD ANY OF T	DATE THE	EHECF, NOT	CE WILL		
he	TIFI	The Metropolitan Gove County	Division		Nesh	ville and Davidson	SHID THE ACC	ULD ANY OF T EXPIRATION ORDANCE WIT	DATE THE	EHECF, NOT	CE WILL		

The ACORD name and logo are registered marks of ACORD

LICENSE AGREEMENT FOR PRIVATE ENCROACHMENTS INTO THE PUBLIC RIGHT OF WAY

1501 Herman Street, LLC L/We, in consideration of the Resolution No. construct, maintain, install and/or operate an encroachment into, onto, over, or under the public right of way located at in Nashville, Davidson County, Tennessee, do hereby, for myself, my agents, customers, and assigns, waive and release and hold harmless The Metropolitan Government of Nashville and Davidson County, its agents, employees, and assigns from any and all claims, rights, or demands for damages that may arise from my/our use, construction and/or maintenance of the encroachment, to wit: (SER ATTACHED DESCRIPTION OF ENCROACHMENT). I/We hereby certify to the Metropolitan Government of Nashville and Davidson County that I/We have executed a bond or liability insurance policy in such amount as agreed upon by the Director of Public Works and the Metropolitan Attorney, and in the form approved by the Metropolitan Attorney (per Metropolitan Code Section 38-1-1), which operates to indemnify and save The Metropolitan Government of Nashville and Davidson County harmless from all claims or demands that may result to persons or property by reason of the construction, operations or maintenance of the encroachment. I/We further agree that my/our obligations hereunder may not be assigned except upon approval of the Director of Public Works and the Metropolitan Attorney. I/We further acknowledge that any action that results in a failure to maintain said bond or liability insurance for the protection of The Metropolitan Government of Nashville and Davidson County shall operate to the granting of a lien to The Metropolitan Government of Nashville and Davidson County in the amount of the last effective bond/insurance policy. Said insurance or bond may not be cancelable or expirable except on 30 days notice to the Director of Public Works.

I'We firther recognize that the license granted hereby is revocable by The Metropolitan Government upon recommendation of the Director of Public Works and approval by resolution of the Metropolitan County Council if it is determined to be necessary to the public welfare and convenience. In the event the Metropolitan Government revokes this license as contemplated by this paragraph, licensee will not be entitled to any compansation of any kind. This license shall also be strictly subject to the right of way easement owned by The Metropolitan Government. I'We agree to maintain, construct and use the encroachment in such a way as will not interfere with the rights and duties of the Metropolitan Government

as owner of the right of way. Said interference shall be additional grounds for revocation of the license for encroachment. I/We agree to pay the cost of construction, maintenance, use, as well as relocations cost of said encroachment. Licensee's failure to complete construction of the contemplated encroachment within 36 months of the date of approval by the Metropolitan Council will cause this license to terminate automatically. In the event the encroachment contemplated by this license is substantially destroyed, this license shall terminate unless fully restored by licensee within 36 months from the date of such destruction. In the event this license is revoked or terminated for any reason, licensee shall restore all public property to the condition obtaining at the time the license became effective at licensee's sole cost and expense.

DATE 10/12/2021

1501 Herman Street, LLC

(Owner of Property)

1501 Herman St. (Address of Property) Nashville, TN 37208

(City and State)

-STATE OF-TENNESSEE)-

Commonwealth of Pennslyvania Allegheny County

COUNTY OF DAVIDSON)

Swom to and subscribed before

Me this 22 day of October

20.21

Regina Colletto

VOTARY PURITO

My Commission Expires:

10-8-2024

Commonwealth of Pennsylvania - Notary Seal Regina C. Colletto, Notary Public Allegheny County

My commission expires October 8, 2024 Commission number 1382124

Member, Pennsylvania Association of Notaries

PETITION TO ENCROACH UPON A PUBLIC RIGHT-OF-WAY

Two illuminated blade signs	
Addresses and Map and Parcel numericroachment:	mbers of property or properties associated with the proposed
ADDRESS	MAP AND PARCEL NUMBER
1501 Herman St.	09204031400
Nashville TN 37208	₩ mt
A scaled drawing on 8 1/2 " x 1 be required depending upon the nature of A private encroachment licensprivilege is to be granted. A certificate of liability insurance Public Works.	60.00 made payable to the Metropolitan Government. 4" paper of the proposed encroachment. (Additional exhibits may
statute arki ilianinin adoresa or person	or originess to whom bristiese or enclosediment will be stanted:
Signature:	Address: 1501 Herman Street,

PERSON FILING THIS PETITION:

If other than owner or optionee of properties listed above, state relationship. All correspondence will be mailed to this person.

Name: Michael Durham / Bozman Sign Company - Sign Installer

Address: 862 Easthagan Dr.

City, State, Zip: Nashville, TN 37217

Phone: Residence 615-414-2606


Business 615-331-0805 ext 123

NOTE: THIS APPLICATION WILL NOT BE ACCEPTED UNLESS COMPLETED IN FULL.

Metropolitan Government Department of Public Works 750 South 5th Street + Nashville, TN 37206 + (615) 862-8750 + www.nashville.gov/pw

*** Before filing this application, please review checklist on the back of this application. ***


Encroachment Type:	Date Submitted:
☐ Awning ☐ Fiber Optic Cable (↑ ground) ☐ Fiber Optic Cable (▼ ground) ☐ Sign ☐ Other	Mandatory Referral Project No(MPW staff assigns project #)
Map & Parcel(s): 09204031400 Street Address(es): 1501 Herman	St. Nashville, TN 37208
Notarized Signature of Property You must obtain the notarized signature of all p to provide this information will deem your applic Metropolitan Planning Commission. Copy form	Owner(s): Oroperly owners on whose properly the sign or awning will occur. Failure cation incomplete and postpone your application's consideration by the below for additional signatures.
Department of Public Works for a sign, awning or fiber	optic cable encroachment.
Commonwealth of Pennsylvania - Notary Seal Regina C. Colletto, Notary Public	1501 Herman Street, LLC Akinjide A. Famuagun
My commission expires October 8, 2024	Olama of Property Owner) Authorized Signer
Commission number 1382124 Member, Pennsylvania Association of Notaries	1501 Herman St.,
	Nashville, TN 37208
STATE OF TRANSPERSES OCLAPY OF DAVIDGON- Swom to paid subscribed before Magnis 2 day of Cloberne 2021 Motary Public (Notary Public) Bly Commission Expires: 10/8/2024	egheny County
Applicant. All correspondence will be mailed to the app	licant.
☐ Architect ☐ EngIneer ☐ Property Owner	Womer: Sign Installation Company
Name: Michael Durham	
Business: Bozman Sign Company	Filing Fee (All application fees are non-refundable)
Address: 862 Easthagan Dr.	Enclosedment: Sign / Awring / Fiber Optic Cable 3250,00
city: Nashville Stale: TN Zip; 37217	Church to Mark the State of the
Phone: 615-331-0805 ext 123 615-414-2606	Augusti (paid a paid a
Fax: 615-831-9530 business home business mobile	
E-mail: permits@bozmansigns.com	
Applicant's Signature: Mchaels Quy	ham



TOTAL FRONTAGE: 604.58 FT.

HERMAN STREET ELEVATION SCALE: NTS







I610-A SATELLITE BLVD DULUTH GA 30097 770 717 7755 WWW CSFSIGGS COTI

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE

1501 HERMAN STREET NASHVILLE, TN 37208

SITE PLAN

REVISIONS 02 10 21 - KN

t 2020 Custam Sign Football, the drowing and the design spans legura conduction conducted makes are the test properly of European State of the drowing and the writer certain of Casten Sign Ecology and the writer certain of Casten Sign Ecology to the William Sign Ecology to the Wil

BD: AM / PM: BT / DESIGN: KN DATE: 07/06/20



DU: UTH, SA 30097 770 7:7 7755

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE

1501 HERMAN STREET NASHVILLE TN 37208

PR: \Box S GN

REVISIONS

0710 20 - KN 07 28 20 - KN 02 10 21 - KN


2016 Caston Ston Factory his drawing one the designs, providing out of the providing admiration contained haven are the box property of Cotton Sope Factory and may not be consider revisional Factors. Omensions and colors may very suggest, due to the president common a charact suffi


BD AM / PM BT / DESIGN KN DATE 07/06/20

striction. Tolers allows on the moving one

QTY: 1 D/F

WO. 2006089.04





FRONT - SIDE B - NIGHT VIEW

PROPOSED SIGN AREA: 40 SQ. FT. TOTAL ALLOWABLE AREA OF ALL SIGNS: 192 SQ. FT.

SIGN CODE: WALL SIGN

SIGN FACE SQ. FOOTAGE (ALLOWED): NTE 192 SQ. FT. (ALL SIGNS) **HEIGHT LIMIT: 20' FROM GRADE TO HIGHEST POINT OF SIGN**

ILLUMINATION: INTERNAL ONLY

OTHER NOTED REQUIREMENTS: 2 PROPERTY SIGNS ALLOWED,

COMBINED ALLOWED SIGN AREA IS 192 SQ. FT.



EST. SIGN WEIGHT: 400 LBS. **EST. LIVE LOAD:** 5000 LBS.

PROJECT MATERIALS & COLORS





SW7069 IRON ORE BLACK VINYL



3/8" primed aluminum mounting

2" square hole in center of plate

3/4" dia. holes to accept 1/2"

plate installed by GC

for power connection

threaded rod



1610-A SATELLITE BLVD DULUTH, GA 30097 770.717.7755 www.CSFsigns.com

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE

1501 HERMAN STREET NASHVILLE, TN 37208

BS: П

SIG


02.10.21 - KN 02.12.21 - KN

REVISIONS


© 2020 Custom Sign Factory This drawing and the designs, plans, layouts, and accompanying information contained herein are the sole property of Custam Sign Factory and may not be copied or recreated without the written consent of Custom Sign Factory Dimensions and colors may vary slightly due to the practical limitations inherent with labrication. Colors shown on this drawing are

DATE: 07/06/20

WO. 2006089.04



PERMANENT MOUNTING PLATE (TOP)




INTERIOR MOUNTING PLATE (TOP)

8-1/2" c/c


2/2

8-1/2"


INTERIOR MOUNTING PLATE (BOTTOM)



PERMANENT MOUNTING PLATE (BOTTOM)



TOP AND BOTTOM TEMPORARY EXTERIOR MOUNTING PLATES



MOUNTING DETAIL SCALE: 3/8"= 1'

BD: AM / PM: BT / DESIGN: KN

NOT FOR PRODUCTION



1610-A SATELLITE BLVD DULUTH, GA 30097 770.717.7755 www.CSFsigns.com

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE

1501 HERMAN STREET NASHVILLE, TN 37208

BLADE SIGN

REVISIONS

07.10,20 - KN 07.28.20 - KN 11.18,20 - KN 12.18,20 - KN 02.12,21 - KN

© 2020 Custom Sign Factory This drawing and the designs, plans, Lagauts, and accompanying information contained herein are the sale property of Custom Sign Factory and may not be copied or recreded without the written consent of Custom Sign Factory. Dimensions and colors may vary slightly due to the practical limitators inherent with labrication. Colors shown on this drowing are approximations.

BD: AM / PM: BT / DESIGN: KN DATE: 07/06/20





1610-A SATELLITE BLVD DULUTH, GA 30097 770.717.7755 www.CSFsigns.com

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE

1501 HERMAN STREET NASHVILLE, TN 37208

PARKING BLAD

ПП

REVISIONS

01.18.21 - KN 02.12.21 - KN

© 2.02 O Custom Sign Footory This arowing and line designs, plans, layouts, and accompanying information contained herein are the sale property of Custom Sign Factory and may not be copied or recrebed without the written consent of Custom Sign Factory. Dimensions and colors may vary slightly due to the practical limitations interent with labrication. Colors shown on this drawing are approximations.

BD: AM / PM: BT / DESIGN: KN DATE: 07/06/20

WO. 2006089.04



Blade Sign To Be Centered on Column

HERMAN STREET - PARTIAL ELEVATION
SCALE: 1/8"= 1'

PROJECT MATERIALS & COLORS




NOTE: ALL PENETRATIONS WILL BE TREATED WITH SILICONE TO PREVENT WATER AND MOISTURE LEAKAGE


NOTE:

ALL MOUNTING DETAILS ARE SUBJECT TO CHANGE IN THE SUBMITTAL PROCESS, ENGINEER REVIEW, AND PERMIT REVIEW. DRAWINGS ARE FOR PLANNING PURPOSES ONLY AND FINAL DRAWINGS WILL BE ISSUED ONCE SIGN PERMITS HAVE BEEN APPROVED.


THE CLIENT IS SOLETY DESPONSIBLE FOR ANY ALTERATION MADE TO THE

THE CLIENT IS SOLELY RESPONSIBLE FOR ANY ALTERATION MADE TO THE BUILDING BEFORE FINAL PERMIT APPROVAL.





FRONT - SIDE B - NIGHT VIEW





APPROVED

ELECTRICAL REQUIREMENTS

1. (1) 120V 20A CIRCUIT REQUIRED.

2. UL LABELS REQUIRED AWAY FROM PUBLIC VIEW,

3. ALL ELECTRICAL PRIMARY CIRCUITS MUST BE DEDICATED ISOLATED CIRCUITS PROVIDED BY CLIENT/OTHER.

 $\mathbf{4}_{\rm i}$ GC to provide accessibility to remote transformer location for installation and service,

5. ALL ELECTRICAL RUNS AND INTERNAL CONNECTIONS TO BE DONE BY CERTIFIED ELECTRICIAN. CSF WILL MAKE FINAL CONNECTION TO SIGN; POWER MUST BE SHUT OFF FOR FINAL CONNECTION.

NOTE: PHOTOCELL & DISCONNECT SWITCH INCLUDED WITH SIGN

PROJECT MATERIALS & COLORS

EST. SIGN WEIGHT:



62.5 LBS.

SIGN AREA:

6.25 SQ. FT.



NOT FOR

PRODUCTION

1610-A SATELLITE BLVD DULUTH, GA 30097 770.717,7755 www.CSFsigns.com

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE

1501 HERMAN STREET NASHVILLE, TN 37208

PARKING BLADE

REVISIONS

10.14.20 - KN 02.10.21 - KN

© 2020 Custom Sign Foctory
This drawing and the designs, plans, laguals,
and accompanying information contained
herein are the sale property of Custom Sign
Fectory and may not be copled or recreated
without the written consent of Custom Sign
Factory Dimensions and colors may vary
slightly due to the practical timulations inherent with
labrication. Colors shown on this drawing are
approximations.

BD: AM / PM: BT / DESIGN: KN DATE: 07/06/20

NOT FOR PRODUCTION



0.10 A SAME TIDE NO COLUMN 5A 30097 770 777 7755 A 174 CSFM JULIO

ALPHA CAPITAL PARTNERS APEX MARATHON

VILLAGE


IBOTHERMAN STREET NASHVILLE, TN 37208

BS: BLADI SIGN

REVISIONS

07 10 20 - KN 07 28 20 - KN 11.18 20 - KN 12 18 20 - KN 02 12 21 - KN


BD: AM / PM: BT / DESIGN: KN DATE: 07/06/20



NOTE: ALL PENETRATIONS WILL BE TREATED WITH SILICONE TO PREVENT WATER AND MOISTURE LEAKAGE

ALL MOUNTING DETAILS ARE SUBJECT TO CHANGE IN THE SUBMITTAL PROCESS, ENGINEER REVIEW, AND PERMIT REVIEW, DRAWINGS ARE FOR PLANNING PURPOSES ONLY AND FINAL DRAWINGS WILL BE ISSUED ONCE SIGN PERMITS HAVE BEEN APPROVED.

THE CLIENT IS SOLELY RESPONSIBLE FOR ANY ALTERATION MADE TO THE BUILDING BEFORE FINAL PERMIT APPROVAL



m

FRONT - SIDE B - NIGHT VIEW SCALE: 3/8"= 1"

PROPOSED SIGN AREA: 40 SQ. FT. **TOTAL ALLOWABLE AREA OF ALL SIGNS: 192 SQ. FT.**

SIGN CODE: WALL SIGN

SIGN FACE SQ. FOOTAGE (ALLOWED): NTE 192 SQ. FT. (ALL SIGNS) HEIGHT LIMIT: 20' FROM GRADE TO HIGHEST POINT OF SIGN

ILLUMINATION: INTERNAL ONLY

OTHER NOTED REQUIREMENTS: 2 PROPERTY SIGNS ALLOWED, COMBINED ALLOWED SIGN AREA IS 192 SO. FT.




1 /5 190V 20A CHESAT REQUIRED 1 UL LABELS RECORPED MANY FROM PUBLIC VIEW 7 AL DESIGNATION AND TRANSPORT OF TRANSPORT NAMES MAYS BE SHALD THE HORSELF FOR CONNECTIONS TO SECURE TO FUNDER MAYS BE SHALD THE HORSELF FAMILY CONNECTIONS TO SECURE TO FUNDER MAYS BE SHALD THE HORSELF FAMILY CONNECTIONS TO SECURE FOR THE FORMAL PROPERTY OF THE F MOTE: PHOTOCELL & DISCONNECT EWITCH INCLUDED WITH BIGH

EST. SIGN WEIGHT: 400 LBS. **EST. LIVE LOAD:** 5000 LBS.

PROJECT MATERIALS & COLORS







NOT FOR PRODUCTION



ALPHA CAPITAL **PARTNERS** APEX MARATHON VILLAGE


1501 HERMAN STREET NASHVILLE IN 37208

П SIGN


REVISIONS

0310-20-KN 07.28.20 KN 07.10.21 KN


BD AM PM B1 / DESIGN: KN DATE: 07 06 20




NOT FOR PRODUCTION




PERMANENT MOUNTING PLATE (TOP)




PERMANENT MOUNTING PLATE (BOTTOM)




INTERIOR MOUNTING PLATE (TOP)
SCALE 1"=1"



INTERIOR MOUNTING PLATE (BOTTOM)
SCALE: 1" • f"



TOP AND BOTTOM TEMPORARY EXTERIOR MOUNTING PLATES SCALE TO 1"





DULUTH GA 30007 770 2177755 AND ESTROJES - 1

ALPHA CAPITAL PARTNERS
APEX MARATHON VILLAGE
1501 (1841) MARATHER THE TASHVILLE, TN 37208

BLAD

П

SIGN

REVISIONS

02 10 21 - KN 02 12 21 - KN

property of the stage of the st

BD: AM / PM: DT / DESIGN; KN DATE: 07/06/20

WO. 2006089.04

MOUNTING DETAIL
SCALE: 3/17:17

ZEEVELD TECHNICAL SERVICES, INC.

WALL MOUNTED I.D. BLADE SIGN APEX-MARATHON VILLAGE NASHVILLE, TN

#/FF, EXPC, RISKCATIE USE 35#/FIZ ASCE 7-10, 2018 S.B.C. H=20, Kz=,40,8=25,90#1FT WIND LOAD = 115 M/HR, WIND PRESSURE = 35

WT= 400# (EST.) AREA = 35 F12 SIGN: 3-6" WX 10-0"H

BEND. MT, AT WALL (WIND) = 35(35)(2.5) = 3062 FT# ON 2 ARMS, BEND. MT./ARM = 30642 = 1531 FT#/ARM (REWD.)

TOTAL BEND. Mr. = 3562 FT DEAD. WT. BEND, MT. AT WALL = 400(2,5) = 1000 FT# ON 2 ACMS. ARM: 5"x5"x3" STEEL TUBE, A36, SEC, MOD, = 8.68 in (REA'D) BEND. MIL/ARM = 1000/2 = 500 FT# / ARM

ALLOW, BEND, MT, = 36000x 8.68/12 = 26040+7# > 3562 FF# REdio. 04

MOUNTING RATE/ARM = 12"x12"x3\(\frac{3}{3}\), A36, SEC. MOD. = \(\frac{12C.375}{25.375}\)^2 = 0.281 in^3 \\ (2) GUSSET RATE: 3\(\frac{2}{3}\times 3\frac{2}{3}\times 3\frac{2}

3562 FT# REGID, OK MOLLYTING RATE THRU BOLTS: 12" 4307 THREADED ROD AT 812" 6.70C. ALLOW, MUTG. R/ARM BEND, MT. = 2(36000×1/812) = 10872 FFF>

TEUSION = 3562/8= = 5029 Few 2-12" + 307 (REQ'D.)
ALLOW, TENSION (2-12" + 1307) = 2(3500) = 7000 = 5029 FREQ'D. OF



NOTE: ALL PENETRATIONS WILL BE TREATED WITH SILICONE TO PREVENT WATER AND MOISTURE LEAKAGE

NOTE:

3' Total Projection

FRONT - SIDE A - DAY VIEW SCALE: 1"= 1

2'-6"

ALL MOUNTING DETAILS ARE SUBJECT TO CHANGE IN THE SUBMITTAL PROCESS, ENGINEER REVIEW, AND PERMIT REVIEW. DRAWINGS ARE FOR PLANNING PURPOSES ONLY AND FINAL DRAWINGS WILL BE ISSUED ONCE SIGN PERMITS HAVE BEEN APPROVED.

THE CLIENT IS SOLELY RESPONSIBLE FOR ANY ALTERATION MADE TO THE BUILDING BEFORE FINAL PERMIT APPROVAL.

Fabricated aluminum cabinet

painted (P2) on all surfaces; Internally illuminated with white

1/2" 7328 white push-through acrylic graphics (3/8" projection)

3" square aluminum tube arms and 1/2" aluminum mounting plate painted (P2); Mounted to wall with


3/8" dla. x 3" long HSS grade 8

threaded rod or masonry screw

equivalent

LEDs





FRONT - SIDE B - NIGHT VIEW
SCALE: 1'= 1'

1/2" thick aluminum mounting plate

1-3/4" square hole in mounting plate
at top mounting arm location for
power connection; GC to run 120v
24" whilp to power location

(6) 5/8" diameter holes to accept
3/8" dla. fasteners

(2) 3" square aluminum tube arms
with 1/4" wall

FRONT & MOUNTING PLATE

SCALE: H/2"-1"



ALL ELECTRICAL ELECTRICAL REQUIREMENTS

- 1. (§ 126V ZOA CIRCUIT REQUIRED.
- 2 ULLASELS REQUIRED AWAY FROM PUBLIC VIEW
- 3. ALL ELECTRICAL PRIMARY CIRCUITS MUST BE DEDICATED ISOLATED CIRCUITS PROVIDED BY CLIENT/OTHER.
- 4 GC TO PROVIDE ACCESSIBILITY TO REMOTE TRANSFORMER LOCATION FOR INSTALLATION AND SERVICE.
- S. ALL ELECTRICAL RUNS AND INTERNAL CONNECTIONS TO BE DONE BY CERTIFIED BLECTRICIAN CSF WALL MAKE FINAL CONNECTION TO SIGN: POWER MUST BE SHUT OFF FOR FINAL CONNECTION.

NOTE: PHOTOCELL & DISCONNECT SWITCH INCLUDED WITH SIGN

PROJECT MATERIALS & COLORS

EST. SIGN WEIGHT:

P2 SW7069 IRON ORE

62.5 LBS.

SIGN AREA:

6.25 SQ. FT.

NOT FOR PRODUCTION



DOLUTE GRANDEN 276 / 127 / 756 - AMERICAN STREET

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE 1501 HERMAN STREET NASHVILLE, TN 37206

ס ס

PARKING BLADE

REVISIONS

10 14 20 - KN 02 10 21 - KN

First Asserting Telephone (Fig. 1) and the second control of the s

BD; AM / PM; BT / DESIGN: KN DATE: 07/06/20

NOT FOR PRODUCTION



DULUTH GA 1009/ 770 747 /755

ALPHA CAPITAL PARTNERS APEX MARATHON VILLAGE 1501 HERMAN STREET NASHVILLE TH 37208

PB: PARKING

 \Box

LAD


m

REVISIONS

0118 21 KN 02 12 21 KN

PART AND AND THE PART OF A PART OF A

BD: AM / PM: BT / DESIGN: KN DATE: 07/06/20



ZEEVELD TECHNICAL SERVICES, INC.

WALL MOUNTED I.D. BLADE SIGN APEX-MARATHON VILLAGE NASHVILLE, TN WIND LOAD = 115 M/HR, WIND PRESSURE = 35 #/FT, EXP.C, RISK CAT. II ASCE 7-10, 2018 L.B.C. h=20, Kz=.40, Rz=25.90#/FPz USE 35#/FPZ SIGH TYPE: BS BLADE SIGN

AREA = 35 FT2 SIGH: 3-6" WX 10-0"H

WT = 400# (EST.)

BEND. MT. AT WALL (WIND) = 35 (35)(2.5) = 3062 FT# ON 7 ARMS, BEND. MT. /ARM = 3062/2 = 153 (FT#/ARM (REWD.)

DEAD. WI BEND, MI AT WALL = 400(2,5) = 1000 FTF ON 2 DRMS. (REQ'D) BEND. MT./ARM = 1000/2 = 500 FT# / NEM

TOTAL BEND. MR= 3562 FAT ARM: 5"X5", 38 STEEL TUBE, A36, SEC, MOD, = 8.68 in 3

MOUNTING RATE/ARM = 12"X12"x3", A36, SEC.MOD. = 12(.375)=0.281 in 3 1.812 in 3 (2) GUSSET RATE: 312" x32" x32" x32" x32" A36, SEC.MOD(2)=2 [.375(3.5)2] = 1.531 in 3 \ 1.812 in 3 ALLOW, BELLS: MT, = 36000x 8.68/12 = 26040FT#>3562 FT# REDD. OF

ALLOW. MUTG. R/ARM BEND. MT.= 2(36000×1812) = 10872 FT#> 3562 FT# RED'D. OK MOUNTING RATE THRU BOLTS: 12" \$ ASOF THREADED ROOMT 812" 6.70C.

TEUSION = 3562/65 = 5029 For 2-12" A 307 (REQ'D.)
ALLOW, TENSION (2-12" A 307) = 2(3500) = 7000 > 5029 FRED'D. OK

SIGN TYPE: PB PARKING BLADE SIGN

SIGN AREA = 6.25 FT , h=12', WEIGHT = 62.5# (EST.)

HORIE: BEND. MT. (WIND) AT WALL = 6.25(35)(2.0) = 438 FT #ON 2 MRMS

HORIE: PRM: SQ. ALUM TUBE 3"x3"x 14" WALL, SE, M.D. = 2.01; n3

ALLOW. BEND. MT. (2 NEMS) = 2(15000 x2" /2) = 5025 FT#

TOTAL BEND. MT. AT WALL (2 ARMS) = 125,0+438.0 = 563 FIFL 5025 FIF ALLOW, VERTICAL BEND MT, (Dd.ing) AT WACL = 62,5 (2.0) = 125,0 FT# ON 2 ARMS.

MOUNTING PROPERTY AFFIXED TO WALL USING 2 ROWS OF 3" CONCRETE ANCHORS @ 5/2" C. FOL.

TENSION = 563/53 = 1228# ON 3-38" ANCHORS X 212" EMBED (RED.).

ALLOW, TENSION (3-3") = 3(850) = 2550# > 1228# RED.D. OL.

ALLULUS SHEAR (6-38")=6(700)= 4200 F> 62,5 FREQD, OK DEADING = 62.5 "SHEAR ON 6-3" ANCHORS (RED'D)

