PRELIMINARY SP AMENDMENT

Sage Run

Public Works Notes

- 1. All work within the public right of way requires an excavation permit from the department
- 2. Proof-rolling of all street subgrades is required in the presence of the public works inspector. Inspection of the binder course is required prior to final paving in the presence of the public works inspector. These requests are to be made 24 hours in advance.
- 3. Stop signs are to be 30 inch by 30 inch.
- 4. Street signs to have six inch white letters on a nine inch green aluminum blade, high intensity reflective.
- 5. All pavement marking are to be thermoplastic.

Water and Sewer Notes:

- 1. All water and sewer construction shall be in accordance with specifications and standard details of the Metro Water Services.
- 2. The contractor is responsible for reimbursing the metro water services the cost of
- 3. The contractor is to provide and maintain the construction identification sign for private
- 4. All connections to existing manholes shall be by coring and resilient connector method.
- 5. Reduced pressure backflow prevention devices (rpbp) or dual check valve will be required on all test and fill lines (jumper) needed for water main construction and must be approved by the metro water services.
- 6. All water meters shall be a minimum of 24" not to exceed a maximum of 28" below finished grade
- 7. Pressure regulating devices will be required on the customer side of the meter when pressures exceed 100 psi.
- 8. Pressure regulating devices will be required on the street side of the meter when
- pressures exceed 150 psi.
- 9. After completion of the sanitary sewer, the developer is responsible for the televising of the lines prior to final acceptance. The videotaping must be coordinated with the Metro Water Services inspection section. All costs will be borne by the developer.
- 10. Upon completion of construction of water and/or sewer, the engineer shall provide the Metro Water Services department with a complete set of as-built plans on moist erasable mylars in reverse and in digital (*.dwg) format. Sewer plans shall be sealed by a licensed professional engineer or a registered land surveyor and shall include actual field angles between lines, all actual service lines and tee locations, the distance of the end of the service line to property corners and lines and/or station and offset from sewer centerline to end of service line, the depth to the top of the end of the service line, and shall reflect all alignment and grade changes. Water line plans shall be sealed by a licensed professional engineer or a registered land surveyor and shall include offset distance from the roadway centerline, or property line right of way, line depth, locations of hydrants, valves, reducers, tees and pressure reducing devices where applicable. all drawings must be completed and submitted prior to acceptance of the sewers or water mains into the public system and any connections being made.
- 11. All water mains must be located within the paved area including all blow-off assemblies.

Architectural Notes

Building elevations for all street facades shall be provided with the final site plan. The following

- A. Building facades fronting a street and courtyard shall provide a minimum of one principal entrance (doorway) and a minimum of 15% glazing.
- B. Windows shall be vertically oriented at a ration of 1.5:1 or greater except for dormers.
- C. EIFS, vinyl siding, and untreated wood shall be prohibited. D. A raised foundation of 18"-36" is required for all residential structures.
- E. Porches shall provide a minimum of six feet of depth.

Landscape Notes


- 1. The landscape contractor shall coordinate all construction with the appropriate utility company and shall be responsible for and damage to utilities. the landscape contractor shall verify the exact location of all utilities and take precautions to prevent damage to the
- 2. All planting and mulch beds shall be sprayed with round-up (contractor's option) prior to
- 3. Plant materials and stumps indicated for removal shall be removed and disposed off-site by the contractor. Backfill holes with topsoil free of roots and rocks.
- 4. The landscape contractor shall be responsible for the fine grading of all planting areas.
- 5. All planting areas shall be fertilized with 12#/1000 s.f. of 10-10-10 fertilizer.
- 6. All planting beds shall have a minimum of 3" depth of shredded hardwood bark mulch. 7. The landscape contractor shall verify all material quantities. In the event of a
- discrepancy, the quantities shown on the plan will take precedence.
- 8. The landscape contractor shall provide the owner with written instructions on the proper care of all specified plant materials prior to final payment.
- 9. Existing trees to remain shall be protected from construction damage. Selectively prune dead wood.
- 10. All disturbed areas shall be planted with turf as indicated on the materials schedule. 11. The development of this project shall comply with the requirements of the Adopted Tree Ordinance 2008-328 (Metro Code Chapter 17.24, Article II, Tree Protection and
- Procedures). 12. The landscape contractor shall provide a one year warranty on all plant materials and

replace any dead or dying material within that time period.

Replacement; and Chapter 17.40, Article X, Tree Protection and Replacement

- 13. No plant materials should be substituted without authorization by Dale & Associates. Plant sizes shown are minimums required by the local municipality and materials shown have been selected specifically for this project.
- 14. All wire baskets shall be completely removed and disposed of, burlap should be removed or punctured in at least 5 places. Remove all twine from burlapped materials.
- 15. Guying is not allowed unless required by municipality or site conditions. The landscape contractor shall remove wires after a one year period.
- 16. No canopy tree shall be located within 15' of an overhead utility. No tree shall be located within a public utility easement. Locating plant materials within a drainage easement is acceptable, but only if installed as not to disturb existing drainage flow. In such instances, the materials shall be located no closer than 5' from the centerline of drainage.
- 17. Lighting plan to be coordinated with proposed planting plan. no light poles to be located in tree islands. See lighting plan for proposed light locations.
- 18. Drawing is for illustration purposes to indicate the basic premise of the development, as it pertains to Stormwater approval / comments only. The final lot count and details of the plan shall be governed by the appropriate stormwater regulations at the time of final

Map 102 Parcel 10.01 & 11 Nashville, Davidson Co., Tennessee Case No. 2018SP-009-003



SHEET SCHEDULE

C0.0Project Notes and Standards

Prev App SP

Existing Conditions

Layout Plan C3.0Grading Plan 5754 River Road 5754 River Road Nashville, TN 37209 783 Greenly Dr. Parcel Area - 3.0 ac. Nashville, TN 37205 Phone: 615-838-8277 Map 102 Parcel 10 Email: tbrett@Brettdb.com 0 River Road Nashville, TN 37209 Civil Engineer and Surveyor Parcel Area - 5.9 ac. Dale & Associates (Hunter Dale, PE) 516 Heather Place Map 102 Parcel 11 Nashville, Tennessee 37204 0 River Road Phone: 615.297.5166 Nashville, TN 37209 Parcel Area - 8.2 ac.

Property Information

Map 102 Parcel 10.01

Floodnote

4/5/2017.

Benchmark

Man Hole Cover

(NAD-83) (NAVD-88)

Development Summary

Map 102 Parcel 10.01 & 11

Owner / Developer

Electric Service Nashville Electric Service (NES) 1214 Church Street Nashville, Tennessee 37246 Phone: 615.747.6807 Gas Service Nashville Gas (Piedmont)

Water and Sewer Service


Phone: 615.734.0734

Metro Water Service 1600 2nd Avenue North Nashville, TN 37208 615.862.4598 Total Site Area -11.7 ac.

Council District #35 - Dave Rosenburg Telephone Service Phone: 866.620.6000 This Property does Not Lie Within a

Flood Hazard Area as Depicted on the Utility Location Current Flood Insurance Rate Maps Tennessee One-Call (FIRM) Number 47037C0218H Dated Phone: 800.351.1111

SPECIFIC PLAN DEVELOPMENT SUMMARY Multi-Family (Detached Single Family Units) Project Area 17.1 Acres (sq ft) Surrounding Zoning: R80, CL, CS Property zoning: SP Minimum lot size Not Applicable Number of Residential Units/Density 160 total dwelling units Street Setbacks 10' measured from R.O.W. Side yard 5' min. Perimeter (6' Spacing between units) Rear yard 20' from Property line (North) Height standards 3 stories in 40' (measured from final grade to eave) max. Parking and Access Ramp Location and Number 1, River Road 424 LF to East, 196 LF to West Distance to nearest existing ramp (Min. 30') Approx. 1,044 LF East to Charlotte Pike Distance to intersection 185' Arterial Street 100' Collector 250' Controlled access ramp Required Parking Based on Use 274 stalls required (2 stall per 2 bed unit) Provided ParkingBased on Use 116 covered stalls, 272 surface stalls Total Stalls Provided 388 Stalls





Erosion Control and Grading Notes

Standard SP Notes

Metropolitan Department of Water Services.

standards, shall be constructed at street crossings.

roll-away cans per a private hauler contract.

not currently present or approved.

a minimum lot size of 1,000 square feet.

16. All drives shall be maintained by HOA.

(minimum driveway culvert in Metro right of way is 15" CMP).

47037C0218H", Dated: April 5, 2017.

sidewalk design standards.

issuance of a building permit.

residential dwellings.

1. The purpose of this SP is to receive approval to rezone the property to provide 169

2. Any excavation, fill or disturbance of the existing ground elevation must be done in

3. This property does not lie within a flood hazard area as identified by FEMA ON MAP

4. All public sidewalks are to be constructed in conformance with metro public works

Wheel chair accessible curb ramps, complying with applicable metro public works

6. The required fire flow shall be determined by the Metro Fire Marshal's office, prior to the

7. Size driveway culverts per the design criteria set forth by the Metro Stormwater Manual

8. Metro Water Services shall be provided sufficient & unencumbered ingress & egress at all times in order to maintain, repair, replace & inspect any stormwater facilities within the

9. Individual sanitary sewer service lines are required for each unit. Water gang boxes shall service units 1-8, 13-20 and 28-35, individual services shall be provided for units 9-12

10. Solid waste pickup for units 1-8 and 28-35 shall be provided by dumpster to be stored on

the concrete pad as shown herein. Solid waste pickup for units 9-27 to be private by

11. The development of this project shall comply with the requirements of the Adopted Tree

Commission or its designee based upon final architectural, engineering or site design and

actual site conditions. All modifications shall be consistent with the principles and further

the objectives of the approved plan. Modifications shall not be permitted, except through

an ordinance approved by Metro Council that increase the permitted density or floor area,

add uses not otherwise permitted, eliminate specific conditions or requirements contained

in the plan as adopted through this enacting ordinance, or add vehicular access points

property shall be subject to the standards, regulations and requirements of the RM15-A

frontage zone and the location of all existing and proposed vertical obstructions within the

occupancy permits, existing vertical obstructions shall be located outside of the required

13. For any development standards, regulations and requirements not specifically shown on

14. Ownership for units may be divided by a horizontal property regime or a subdivision with

15. The final site plan shall depict required public sidewalks, any required grass strip or

required sidewalk and grass strip or frontage zone. Prior to issuance of use and

sidewalks. Vertical obstructions are only permitted within the required grass strip or

the SP plan and/or included as a condition of commission or council approval, the

zoning district as of the date of the applicable request or application.

Ordinance 2008-328 (Metro Code Chapter 17.24, Article II, Tree Protection and

Replacement; and Chapter 17.40, Article X, Tree Protection and Replacement


12. Minor modifications to the preliminary SP plan may be approved by the Planning

accordance with Storm Water Management Ordinance No. 78-840 & Approved by the

- 1. Disturbed areas shall be stabilized within 14 days of the temporary halt of earth moving activities. Slopes that are 3:1 or steeper shall be stabilized within 7 days.
- 2. All cut/fill areas to have a minimum of 6" of topsoil cover. Areas dressed with topsoil shall receive 12 lbs. per 1000 sq. ft. of 10-10-10 fertilizer (unless otherwise specified in written specifications), 5 lbs. or more of Kentucky 31 fescue seed per 1000 sq. ft., and a straw mulch cover of 70%-80% coverage (approximately 125 lbs. per 1000 sq. ft.), unless otherwise noted within written specifications.
- Erosion control barrier is called out on plans and is to comply with the Metropolitan stormwater management manual, volume four, section TCP-14.
- 4. Disturbed areas are to be graded to drain as indicated in the plan to sediment barriers during and upon the completion of construction.
- 5. The contractor shall be responsible for the verification and the location of any existing utilities. It shall be the responsibility of the contractor to avoid damage to all existing utilities during construction. If damage does occur to any such installation, full repair will be accomplished as per the current specification governing such work.
- 6. Any access routes to the site shall be based with crushed stone, ASTM #1 stone, 100' long and at least 6" thick.
- 7. The placing and spreading of any fill material is to be started at the lowest point and brought up in horizontal layers of 8" thickness (or as directed by the soils investigative report). Said fill material is to be free of sod, roots, frozen soils, or any other decomposable material. Said fill is to be compacted to a minimum of 95% standard proctor, or as otherwise specified by the soils report or written specifications.
- 8. The contractor shall notify the Metro Davidson County department of Public Works construction compliance division, three days prior to beginning the work.
- 9. The contractor shall locate and stake the layout of the site in the field for inspection by the engineer. The contractor shall check the grades and final dimensions on the ground, and report any discrepancies to the engineer immediately for a decision.
- 10. Surplus excavation of topsoil shall be placed on the site as approved by the owner for the purpose of future landscape use.
- 11. The contractor shall furnish and install all necessary temporary works for the protection of the public and employees, including warning signs and lights. 12. The contractor shall be responsible for any damage done to the premises or adjacent
- premises or injuries to the public during the construction caused by himself, his sub-contractors, or the carelessness of any of his employees. 13. All work is to be completed with compliance to the rules and regulations set forth by Metro Water Services. The contractor shall give all necessary notice, obtain all permits, and pay fees required for the completion of his portion of the work. He shall also comply with all
- 14. All erosion control measures shall remain in place until site is stabilized & construction is

city, county and state laws and ordinance or regulations relating to portions of work which

- 15. Contractor to provide an area for concrete wash down and equipment fueling in accordance with metro CP-10 and CP-13, respectively. Contractor to coordinate exact location with NPDES department during the pre-construction meeting. Grading permittee to include bmp's designed to control site wastes such as discarded building materials, chemicals, litter and sanitary wastes that may cause adverse impacts to water quality. The location of and/or notes referring to said bmp's shall be shown on the EPSC plan.
- 16. Perimeter measures shall be installed prior to any grading for sediment traps / basins.



NOT TO SCALE

Map 102 Parcels 10, 10.01 5754 River Road Nashville TN 37205Address

Development Summary

Total Site Area - 17.1 Council District #35 Dave Rosenburg

Sage Run Development, LLC 600 Broadway 604 Nashville TN 37203

Developer
Sage Run Development, LLC 600 Broadway 604 Nashville TN 37203

Contact: Adam Seger 516 Heather Place Nashville, TN 37204 Phone: 615.297.5166 adam@daleandassociates.net

Dale and Associates

Engineer

This Property does Not Lie Within a Flood Hazard Area as Depicted on the Current Flood Insurance Rate Maps (FIRM) Number 47037C0218H Dated 4/5/2017.

Drawing Date: July 28, 2021

Revisions

SP AMENDMENT

| UNIT DENSITY TOTAL SITE AREA FAR: ISR | | 35 TOTAL UNITS (16 ATTACHED, 18 | | | |
|--|-------------|--|---|--|----------------|
| | | CETACHEZIAN CARREST CARREST | | | |
| | | 10,57 ACRES (460,429.20 SF) | | | |
| | | MAXIMUM 40% (13.6% PROVIDED) MAXIMUM 60% (24% PROVIDED) | | | |
| | | | | | STREET SETBACK |
| SIDE SETBACK | | MINIMUM 15FT (20FT PROVIDED) | | | |
| REAR SETBACK | | MINIMUM 20FT (20FT PROVIDED) | | | |
| HEIGHT STANDARDS | | 3 STORIES WITH 12FT RIDGE HEIGHTS | | | |
| RESIDENTIAL SPACES PROVIDED | | 70 REQUIREO (74 PROVIDED) | | | |
| CISTANCE TO NEAREST RAMP | | 424 LF TO EAST 198 LF TO WEST | | | |
| DISTANCE TO INTERSECTION | | APROX, 1,044 LF EAST TO CHARLOTTE PIKE | | | |
| RESIDENTIAL UNIT SQUARE FOOTAGE | | 1400 - 1600 SF UNITS | | | |
| SPECIFIC PLAN SUVWARY | | | | | |
| DESCRIPTION | | | 3 | | |
| COUNCIL DISTRICT | DIS | | | | |
| COUNCILMEMBER | DAY | DAVID ROSENBERG | | | |
| OWNER OF RECORD | B (150) 210 | OBNIX INVESTMENT GROUP, LLC / 9.B. UBLEDAY , JR. | | | |
| The state of the s | | | | | |

PARCELID

PROPERTY AREA CURRENT ZONING OVERLAY DISTRICT SPECIFIC PLAN NAME SPECIFIC PLAN NUMBER RESIDENTIAL DWELLING DENSITY

U.S. FEMA FIRM

TDEC.CGP#


| 715 | 16200001001 / 10200001100 | | \mathbb{I}_2 | : |
|-----|--|---|----------------|---|
| | 3.07 ACRES / 7.5 ACRES | | \geq | _ |
| | R40, Rec | | | _ |
| - | | | | ۲ |
| -62 | SAGERUN | | | |
| | TEO | 1 | | |
| 0 | 3.31 UNITES PER ACRE | | | |
| | MAP PANEL 47037C0218H , APRIL 5, 2017 - ZONE X | | | |
| _ | | | (| |
| | | | | |
| | | | | |
| | | | | |

Previously Approved Prelim SP

Case No. 2018SP-009-003

D&A Project #19076 Sage Run


/2" REBAR SET (PL\$ #2542) 26.3' FROM CENTERLINE PARCEL ID# 10200001000 JAMES D. & MARK S. MEADOWS BOOK 8370, PAGE 332, R.O.D.C. EXISTING
5/8" REBAR
(PLS# 1493) N14111521E /=INV: 447.03' (S0816'43"W CENTERLINE DAVIDSON-WEST NASHVILLE
TRANSMISSION LINE
STA 190+00 TO STA 310+00
LW-5963
DATED SEPT. 26, 1967 EXISTING 5/8" REBAR (PLS# 1493)



Drawing Date: July 28, 2021


Revisions

SP AMENDMENT Sage Run




Existing Conditions Plan

D&A Project #19076



Layout and Utility Plan




Drawing Date:
July 28, 2021

Revisions

Revis

SP AMENDMENT
Sage Run
Map 102 Parcel 10, 10.01 & 11
Nashville, Davidson County, Tenne




Grading and Drainage Plan


SSO Tracker trace, the trace of the trace of

Case No.

2018SP-009-003

D&A Project #19076
Sage Run







Engineer
Dale and Associates

Contact: Adam Seger 516 Heather Place Nashville, TN 37204

Phone: 615.297.5166

adam@daleandassociates.net

Floodnote
This Property does Not Lie
Within a Flood Hazard Area
as Depicted on the Current
Flood Insurance Rate Maps
(FIRM) Number
47037C0218H Dated
4/5/2017.


Map 102 Parcels 10, 10.01 &11 5754 River Road Nashville TN 37205Address

Total Site Area - 17.1 Council District #35 Dave Rosenburg

Owner Sage Run Development, LLC 600 Broadway 604 Nashville TN 37203

Email

Developer
Sage Run Development, LLC
600 Broadway 604
Nashville TN 37203 Phone






Scale 1" = 50'

Drawing Date: July 28, 2021

Revisions

SP AMENDMENT



Sight Distance



Case No. 2018SP-009-003

D&A Project #19076